



# MASTER TL-D Super 80

## Controls and Dimming

Dimmable	Yes
----------	-----

## Approval and Application


Energy efficiency label (EEL)	A
Mercury (Hg) content (nom.)	2.0 mg
Energy consumption kWh/1,000 hours	68 kWh

## Product Data

Full product code	871150063219740
Order product name	MASTER TL-D Super 80 58W/840 1SL/25

EAN/UPC – product	8711500632197
Order code	63219740
Local code	58840
SAP numerator – quantity per pack	1
Numerator – packs per outer box	25
Material no. (12 NC)	927922084023
SAP net weight (piece)	167.000 g
ILCOS code	FD-58/40/1B-E-G13


## Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Super 80 58W/840 1SL/25	28 mm	1500.0 mm	1507.1 mm	1504.7 mm	1514.2 mm

## TL-D 58W/840

## Photometric data




## Lightcolour /840



## Lightcolour /840

# MASTER TL-D Super 80

## Lifetime



LDLE\_TL-D8\_0001-Life expectancy diagram

LDLE\_TL-D8\_0002-Life expectancy diagram



LDLM\_TL-D8\_0001-Lumen maintenance diagram

